PRODUCT CATALOGUE

----- Timber connector

Hua Sheng Metal Product Co.,Ltd
Email : info@hsmetalproduct.com
Web: www.hsmetalproduct.com
Address : Gu Town, National Road 205, Huanghua 061100, China

INDEX

Joist hanger 3

Flat angle bracket 3

Plate connector 6

Angle bracket 13

Feature:

1. Factory based
2. Made per drawings
3. OEM service
4. HDG
   Zinc Plate
   Powder coating

Hua Sheng Metal Product Co.,Ltd
Email : info@hsmetalproduct.com
Web: www.hsmetalproduct.com
Address : Gu Town, National Road 205, Huanghua 061100, China

Item Nr.	Photo	Net Weight	Description	Customized Dimension
Joist hanger				
HST25		0.1726	Joist Hanger Type A Dimension: 46x105x2,0 mm Coating: white zink plated Coating thickness: minimum: 5 µ Material: steel / stainless steel Each piece sticked with barcode packing unit: 7x10pcs in carton. Unit Packing in polyback.	√
HST26		0.1904	Joist hanger Dimension: 70x105x1,0 mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel / stainless steel Each piece sticked with barcode packing unit: 7x10pcs in carton. Unit Packing in polyback.	√
HST27		0.0755	Beam hanger Dimension: 38x70x1,0 mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel / stainless steel packing unit: bundled per 10 in carton production according DIN 1052	√
HST28			Joist Hanger Type B 100x140x2,0mm Bauaufsichtlich geprüft verzinkt min: 20µm lose verpackt, Verpackungseinheit 10St im Polybeutel Edelstahl Herstellung nach DIN 1052	√
Flat angle bracket				

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST301		0.0600	Flat corner connector (5 holes) Dimension: 120X120x20x1,5mm Coating: stainless steel piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HST302		0.0111	sash angle (4 holes) Dimension: 60x60x10x1,5 mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 20pcs in carton	√
HST303		0.0580	Flat corner connector (6 holes) Dimension: 120X120x18x2,0 mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 20pcs in carton	√
HST304		0.1900	Flat corner connector (6 holes) Dimension: 160x160x30x3,0mm Coating: zink plated Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HST428		0.0200	Flat T connector Dimension: 70x35x15x1,8mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x20pcs in carton. Unit packing in polyback.	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST429		0.1271	Flat T connector Dimension: 80X68x38x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 10pcs in carton	√
HST430		0.1050	Flat T connector Dimension: 140X30x2,5 MM Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 10pcs in carton	√
HST431		0.2080	Flat T connector Dimension: 160X98x45x2,5 mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HST432		0.0994	Flat corner connector Dimension: 120X120x35x2,0mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 10pcs in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST433		0.1200	flat angel connector Dimension: 150x150x35x2,0mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 10pcs in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
Plate connector				
HST512		0.0107	Connector plates straight (4 holes) Dimension: 50X15x2,0 mm Coating: yellow galvanized Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 50pcs in carton	√
HST513		0.0150	Connector plates straight (4 holes) Dimension: 75x15x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 25pcs in carton	√
HST514		0.0220	Connector plates straight (4 holes) Dimension: 100X15x2,0 mm Coating: yellow galvanized Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 25pcs in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST516		0.1100	flat perforated plate Dimension: 170x30x3,0mm Coating: zink plated Coating thickness: minimum: 20 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 25 in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
HST517		0.0704	flat perf.plate Dimension: 100X35x3,0 mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x25pcs in carton.Unit packing in polyback. Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
HST518		0.0590	flat perf.plate Dimension: 100x40x2,0 mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x25pcs in carton.Unit packing in polyback. Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST519		0.0920	flat perf.plate Dimension: 40X160x2,0 mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x25pcs in carton.Unit packing in polyback. Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
HST520		0.1324	flat perf.plate Dimension: 140X55x3,0mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 25pcs in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
HST521		0.1190	flat perf.plate Dimension: 180X40x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 25pcs in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST522		0.1670	flat perf.plate Dimension: 60X200x2,0mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 3x10pcs in carton.Unit packing in polyback. Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
HST523		0.2900	flat perforated plate Dimension: 90x200x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√
HST524		0.3520	flat angle connector Dimension: 100x240x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: per 25 in carton Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST525		2.7780	flat perf.plate Dimension: 100X35x3,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content: 40 pcs. shrink with foil. foil sticked with barcode according to luxartworks, carton unit 3 pack	√
HST526		0.1270	flat perf.plate Dimension: 140X55x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HST527		1.8180	flat perf.plate Dimension: 40X160x2,0mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST528		2.4485	flat perf.plate Dimension: 180X40x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
492908		3.3310	flat perf.plate Dimension: 60X200x2,0mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HST529		0.0224	connector plates straight Dimension: 100X15x2,0 MM Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 20 in carton	√
HST530		0.0566	flat perf. Plate Dimension: 100X35x2,5MM Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST531		0.1739	flat perf.plate Dimension: 140x55x3,0mm Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV packing unit: per 10 in carton	√
HST532		0.0248	bent grip plate Dimension: 140X20x1,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 10pcs in carton	√
HST533		0.0957	raf.bindanchor left Dimension: 35x35x170x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x15pcs in carton. Unit packing in polyback.	√
HST534		0.0918	raf.bindanchor right Dimension: 35x35x170x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x15pcs in carton. Unit packing in polyback.	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HST535		0.1336	raf.bindanchor left Dimension: 35x35x210x2,0mm Coating: white zink plated Coating thickness: minimum:55 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 3x10pcs in carton.Unit packing in polyback.	√
HST536		1.8960	raf.bindanchor left Dimension: 35x35x170x2,0mm Coating: white zink plated Coating thickness: minimum: 5 μ content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel Carton unit 3 packs	√
HST537		1.9000	raf.bindanchor right Dimension: 35x35x170x2,0mm Coating: white zink plated Coating thickness: minimum: 5 μ content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel Carton unit 3 packs	√
Angle bracket				
HSTA72		0.0080	Chair brackets Dimension: 25x25x14x2mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x25pcs in carton.Unit packing in polyback.	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA73		0.0299	Chair brackets Dimension: 60x60x18x2mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x25pcs in carton.Unit packing in polyback.	√
HSTA74		0.0524	construction corner bracket Dimension: 100x100X19x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x25pcs in carton.Unit packing in polyback.	√
HSTA75		0.0249	Wide angle brackett Dimension: 30X30x30x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 25pcs in carton	√
HSTA76		0.0423	Wide angle brackett Dimension: 40X40x40x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 25 in carton	√
HSTA77		0.0720	Wide angle connector Dimension: 50x50x50x2,0mm Coating: yellow galvanized Coating thickness: minimum: 55μ piece sticked with barcode label Material: steel/stainless steel packing unit: per 30 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA78		0.0691	Wide angle brackett Dimension: 25x40x75x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 3x10pcs in carton.Unit packing in polyback.	√
HSTA81		0.2200	construction corner bracket Dimension: 160X160x20x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 5 in carton	√
HSTA82		0.2000	construction corner bracket Dimension: 80/150X5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 5 in a carton	√
HSTA83		0.0520	construction corner bracket Dimension: 40x80X30x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 20 in carton	√
HSTA84		0.1900	construction corner bracket Dimension: 75x120x35x4,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Hua Sheng Metal Product Co.,Ltd
Email : info@hsmetalproduct.com
Web: www.hsmetalproduct.com
Address : Gu Town, National Road 205, Huanghua 061100, China

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA85		0.2700	construction corner bracket Dimension: 100X100x40x5,0 Coating: yellow galvanized Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 5 in carton production according DIN 1052	√
HSTA86		0.4300	construction corner bracket Dimension: 150X150x40x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 5 in carton Herstellung nach DIN 1052	√
HSTA87		0.5700	construction corner bracket Dimension: 200X200x40x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 5 in carton	√
HSTA88		0.2000	construction corner bracket Dimension: 100/50X40x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 5 in carton	√
HSTA89		0.3000	construction corner bracket Dimension: 150/75X40x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA90		0.4100	construction corner bracket Dimension: 200x100x40x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA91		0.4100	construction corner bracket Dimension: 180/120X40x5,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA92		0.0458	Store bracket Dimension: 95x55X13x3,5mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA93		0.0800	Store bracket Dimension: 120/55X17x3,5mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA94		0.1100	Store bracket Dimension: 180/55X17x3,5mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA95		0.0595	Adjustable brackets Dimension: 30x60x60x2,0mm Coating: white galvanized Coating thickness: minimum: 5μ piece sticked with barcode label Material: steel/stainless steel packing unit: 10pcs bundle per carton	√
HSTA96		0.0800	adjustable bracket Dimension: 80x60x20x4mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA97		0.1700	adjustable bracket Dimension: 75/35X65x4,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA98		1.3370	concrete anchors Dimension: 40x200X40X2mm Coating: white zink plated Coating thickness: minimum: 5 μ content: 10pcs shrinked with foil and sticked with barcode Material: steel/stainless steel. Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV packing unit: 1pcs in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA99		1.9544	concrete anchors Dimension: 40x300X40X2mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content: 10pcs shrinked with foil and sticked with barcode Material: steel/stainless steel. packing unit: 1pcs in carton	√
HSTA100		0.2830	Concrete anchor strong Dimension: 40x200x40x4,0mm Coating: white galvanized piece sticked with barcode label accordi Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV packing unit: bundled per 10 in carton	√
HSTA101		0.4009	Concrete anchor strong Dimension: 40x300x40x4,0mm Coating: white galvanized piece sticked with barcode label Material: steel/stainless steel Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA102		0.2266	angle connector Dimension: 120X90X40mm Coating: white zink plated Coating thickness: minimum: 55μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA103		0.0780	adjustable brackets Dimension: 90X35X40x2,0mm Coating: white zink plated Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA104		0.1281	adjustable brackets Dimension: 90X48X48x2,0mm Coating: white zink plated Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA105		0.1100	construction corner bracket Dimension: 70x100x30x3 Coating: white zinc plated Coating thickness: minimum: 5 μ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA106		0.1040	Wide angle brackett Dimension: 60X60x60x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 20pcs in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA107		0.1540	angle connector Dimension: 90X60X60x2,5mm Coating: white zink plated Coating thickness: minimum: 55µ Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA108		0.0900	adjustable brackets Dimension: 110X35X40x2,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA109		0.0223	angle connector, light execution Dimension: 40x40x20x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x50pcs in carton.Unit packing in polyback.	√
HSTA110		0.0400	angle connector Dimension: 40X40X40X2mm Coating: zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 100 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA111		0.0800	angle connector Dimension: 40x40X60mm Coating: zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 25 in carton	√
HSTA112		0.0540	angle connector, light execution Dimension: 50x50X40x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 50 in carton	√
HSTA113		0.0590	angle connector, Dimension: 50X50x35x2,5 mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 50 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA114		0.0830	angle connector Dimension: 60x60X402,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 30 in carton	√
HSTA115		0.1000	Adjustable brackets Dimension: 60x40x60x2,5mm Coating: white galvanized Coating thickness: 275g/m² on both side = minimum: 20 µm piece sticked with barcode label Material: steel/stainless steel packing unit: per 20 in carton	√
HSTA116		0.1300	angle connector Dimension: 60X60X60x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA117		0.1020	angle connector Dimension: 60X60x50x2,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x20pcs in carton.Unit packing in polyback.	√
HSTA118		0.1709	angle connector Dimension: 60x60X80x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 20 in carton	√
HSTA119		0.1300	angle connector Dimension: 70X70x55x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material:	√
HSTA120		0.1600	angle connector Dimension: 80x80X60x2,5mm Coating: zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA121		0.2100	angle connector Dimension: 80X80x80x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 20 in carton	√
HSTA122		0.1240	angle connector Dimension: 90x90X40x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: 20pcs in carton.Unit packing in polyback.	√
HSTA123		0.1900	angle connector Dimension: 90X90X65x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 20 in carton	√
HSTA124		0.1650	angle connector Dimension: 100X60X60x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA125		0.3660	angle connector Dimension: 100X100x100x2,5mm Coating: white zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA126		0.3600	angle connect. Dimension: 100x100x90x3,0mm Coating: zink plated Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA127		0.1200	angle connect. with rip Dimension: 70X70x55x2,5mm Coating: zink plated Coating thickness: minimum: 5 µ item with rib piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 30 in carton	√
HSTA128		0.3700	angle connectore with rip Dimension: 105x105X90x3,0mm Coating: zink plated Coating thickness: minimum: 5 µ piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA129		0.0500	bracing connecting piece Dimension: 50x50X35x2,5mm Coating: zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA130		0.1200	bracing connecting piece Dimension: 70x70X55x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV piece sticked with barcode label Material:	√
HSTA131		0.0253	Wide angle brackett Dimension: 30X30x30x2,0mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x20pcs in carton.Unit packing in polyback.	√
HSTA132		0.0440	Wide angle brackett Dimension: 40X40x40x2,0mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x20pcs in carton.Unit packing in polyback.	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA133		0.1070	Wide angle brackett Dimension: 60X60x60x2,0mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: 20pcs in carton.	√
HSTA134		0.0510	construction corner bracket Dimension: 40x80X30x2,0mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: per 15 in carton	√
HSTA135		0.1500	construction corner bracket Dimension: 120/80X35x3,0mm Coating: white powder coated piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA136		0.4000	construction corner bracket Dimension: 180/120X40x5,0mm Coating: white powder coated piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA137		0.0470	Store bracket Dimension: 95/55X13x3,5mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA138		0.1100	Store bracket Dimension: 180x55x3,5mm Coating: white powder coated piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA139		0.0086	Chair brackets Dimension: 25x25x14x2mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x20pcs in carton.Unit packing in polyback.	√
HSTA140		0.0086	Chair brackets Dimension: 25x25x14x2mm Coating: powder coated brown Each piece sticked with barcode Material: steel/stainless steel packing unit: 2x20pcs in carton.Unit packing in polyback.	√
HSTA141		0.0160	Chair brackets Dimension: 40x40x14x2mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: per 20 in carton	√
HSTA142		0.0234	Chair brackets Dimension: 60x60X14x2,0mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: 5x20pcs in carton.Unit packing in polyback.	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA143		0.0605	Adjustable brackets Dimension: 30x60x60x2,0mm Coating: white powder coated Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA144		0.0800	adjustable bracket Dimension: 80/65X20x4,0mm Coating: white powder coated piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA145		0.0835	angle connector Dimension: 60x60X40x2,5mm Coating: powder coated white Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV Each piece sticked with barcode Material: steel/stainless steel packing unit: 20pcs in carton.Unit packing in polyback.	√
HSTA146		0.1310	angle connector Dimension: 70x70X55x2,5mm Coating: powder coated white Coating thickness: minimum: 20 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: 10pcs in carton.	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA147		0.0100	adjust. Bracket Dimension: 30x25x25x1,5mm Coating: white powder coated Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA148		0.0120	adjust. Bracket Dimension: 39x28X22x1,5mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA149		0.0890	angle bracket Dimension: 80x120x40x1,5mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA150		0.1150	angle bracket stamped Dimension: 100x160x40x1,5mm Coating: powder coated white Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA151		0.0900	adjustable brackets Dimension: 110X35X40x2,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA152		0.0096	Chair brackets Dimension: 25x25x14x2,0mm Coating: stainless steel content: Each pcs with barcode accoring to lux artworks packing unit 10pcs in poly bag	√
HSTA153		0.0200	Chair bracket Dimension: 40X40x15x2,0mm Coating: stainless steel piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA154		0.0224	Chair brackets Dimension: 50x50X15x2,0mm Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA155		0.0500	Chair bracket Dimension: 80X80x18x2,0mm Coating: stainless steel piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA156		0.0870	adjust. Bracket Dimension: 35x75x65x2mm Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA157		0.0456	Wide angle brackett Dimension: 40X40X40X2mm Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: per 10 in carton	√
HSTA158		0.0600	Wide angle brackett Dimension: 50X50X40x2,0MM Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA159		0.0828	angle connector Dimension: 60X60X40x2,5mm Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV packing unit: per 10 in carton	√
HSTA160		0.1100	angel connector Dimension: 60X60X60x2,0mm Coating: stainless steel piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA161		3.6200	angle connector Dimension: 90X90X65x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 2 packs	√
HSTA162		0.1210	angle connector Dimension: 90X90X40x2,5MM Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV packing unit: per 10 in carton	√
HSTA163		0.1100	angle connector high.strenght Dimension: 70X70X55x2,5mm Coating: stainless steel piece sticked with barcode label Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA164		0.1650	angle connector with rip Dimension: 90X90X65x2,0MM Coating: stainless steel Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA165		0.0100	adjust. Bracket Dimension: 30X25x25x1,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA166		0.1156	adjust. bracket Dimension: 30X25x25x1,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ packed per 12 pcs. shrinked with foil and sticked with barcode according to lux artwork. packing unit: bundle 3 pcs in carton	√
HSTA167		0.0110	adjust. bracket Dimension: 39x28X22x1,2mm Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 10 in carton	√
HSTA168		0.0130	chipboard bracket Dimension: 40X19 MM Coating: yellow galvanized Coating thickness: minimum: 5 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: bundled per 25 in carton	√
HSTA169		0.2970	Wide angle brackett Dimension: 30X30x30x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ content:12pcs. bundel with cable tie.Pack sticked with barcode Material: steel/stainless steel carton unit 10packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA170		0.5487	Wide angle brackett Dimension: 40X40x40x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ content:12pcs. bundel with cable tie.Pack sticked with barcode Material: steel/stainless steel carton unit 10 packs	√
HSTA171		0.1020	Chair brackets Dimension: 25x25x14x2mm Coating: yellow galvanized Coating thickness: minimum: 5 μ content:12pcs. bundel with cable tie.Pack sticked with barcode Material: steel/stainless steel carton unit 10 packs	√
HSTA172		0.2600	Chair brackets Dimension: 50x50X15x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ content:12pcs. bundel with cable tie.Pack sticked with barcode Material: steel/stainless steel carton unit 10 packs	√
HSTA173		0.3100	Chair bracket Dimension: 80X80x18x2,0mm Coating: yellow galvanized Coating thickness: minimum: 5 μ content:8 pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 10 packs	√
HSTA174		0.4467	Chair brackets Dimension: 25x25x14x2mm Coating: yellow galvanized Coating thickness: minimum: 5 μ content:50pcs. bundel with cable tie.Pack sticked with barcode Material: steel/stainless steel carton unit 3 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA175		0.8940	angle connector Dimension: 40x40X20x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:40pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HSTA176		1.7700	angle connector Dimension: 40X40x40x2,0mm Coating: zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV ontent:40pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√
HSTA177		1.1460	angle connector Dimension: 50x50x35x2,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. bundel with cable tie.Pack sticked with barcode Material: steel/stainless steel carton unit 3 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA178		2.1980	angle connector Dimension: 50x50x40x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:40pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HSTA179		2.0430	angle connector Dimension: 60x60x50x2,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HSTA180		2.3900	angle connector Dimension: 60X60x60x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA181		2.4700	angle connector Dimension: 70X70x55x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HSTA182		4.1900	angle connector Dimension: 80X80x80x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HSTA183		2.3000	angle connector Dimension: 50X50x35x2,0mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:50pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA184		3.7980	angle connector Dimension: 60x60x45x2,5mm Coating: white zink plated Coating thickness: minimum: 5 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:50pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√
HSTA185		6.0000	angle connector Dimension: 70x70x55x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:50pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√
HSTA186		9.2800	angle connector Dimension: 90X90X65x2,5mm Coating: zink plated Coating thickness: minimum: 20 µ Ø 4,5mm hole diameter d hole spacing to the boarder:min. vertical 9mm, horizontal min. 6,75mm hardness min. 100HV content:50pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA187		2.4800	angle connect. Dimension: 70x70x55x2,5mm Coating: zink plated Coating thickness: minimum: 5 µ content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 3 packs	√
HSTA188		3.6400	angle connect. Dimension: 90X90X65x2,5 Coating: zink plated Coating thickness: minimum: 5 µ item with rib content:20pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 2 packs	√
HSTA189		3.7300	angle connect. Dimension: 105x105X90x3,0mm Coating: zink plated Coating thickness: minimum: 5 µ content:10pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 2 packs	√
HSTA190		5.9100	angle connect. Dimension: 70x70x55x2,5mm Coating: zink plated Coating thickness: minimum: 5 µ item with rib content:50pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√
HSTA191		8.9500	angle connect. Dimension: 90X90X65x2,5mm Coating: zink plated Coating thickness: minimum: 5 µ item with rib content:50pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√

Item Nr.	Photo	Net Weight	Description	Customized Dimension
HSTA192		9.2100	angle connect. Dimension: 105x105X90x3,0mm Coating: zink plated Coating thickness: minimum: 5 μ content:25pcs. shrinked with foil. Foil sticked with barcode Material: steel/stainless steel carton unit 1 packs	√
HSTA193		0.3720	L-type supporting shoes Dimension: 70x60x110x5,0mm Coating: hot dip galvanized Coating thickness: minimum: 50 μ Each piece sticked with barcode Material: steel/stainless steel packing unit: 3 pcs packed in carton	√

If interest, feel free to write us message

Hua Sheng Metal Product Co.,Ltd
Email : info@hsmetalproduct.com
Web: www.hsmetalproduct.com
Address : Gu Town, National Road 205, Huanghua 061100, China